



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/092,836	03/06/2002	Tianmei Ouyang	LFS-0214	2654

7590

06/02/2006

Johnson & Johnson
International Patent Law Division
Attention: Philip Johnson
P. O. Box 1222
New Brunswick, NJ 08903

EXAMINER

SHEN, BIN

ART UNIT	PAPER NUMBER
----------	--------------

1655

DATE MAILED: 06/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.		Applicant(s)	
	10/092,836		OUYANG ET AL.	
	Examiner		Art Unit	
	Bin Shen		1655	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 September 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 4-9 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 4-9 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u> </u> | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1655

DETAILED ACTION

The IDS received 2/10/06 and 12/7/05, terminal disclaimer approval received 7/7/05 have been entered. Claims 1, 4-9 are currently pending.

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after allowance or after an Office action under *Ex Parte Quayle*, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114. Applicant's submission filed on September 19, 2005 has been entered.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, 4-9 are rejected under 35 U.S.C. 102(b) as being anticipated by Sock et al. (Analytical Biochemistry 1988, 171, 310-319).

Sock et al. teach detecting enzymes using a positively charged nylon (bibulous positively charged substrate as claimed-

Art Unit: 1655

see abstract) coupled with a tetrazolium salt (thiazolyl blue-see page 311 abbreviations used; note it is water soluble as noted by Sigma). In this method, "auxiliary enzymes" including glucose oxidase (analyte oxidase) and malate dehydrogenase (analyte dehydrogenase) are preimmobilized on the positively charged membranes, see abstract (analyte oxidizing signal producing system). The assay uses phenazine methosulfate (PMS) and NAD(P)H as electron transfer agents, and NADH or NAD(P)H as enzyme cofactors (see Figs 1 and 2 on page 311). A reagent composition is encompassed by this method since the same enzyme detection mechanism is used in the enzyme-coupled assays of Sock et al. as is claimed.

Therefore, the reference is deemed to anticipate the instant claims above.

Double Patenting

3. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).

A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer cannot overcome a double patenting rejection based upon 35 U.S.C. 101.

Art Unit: 1655

Claim 1 is rejected under 35 U.S.C. 101 as claiming the same invention as that of claim 9 of U.S. Patent No. 6,420,128 B1. The subject matter is the same in the patent and this application. Claim 1 is the same as claim 9 in the patent. This is a double patenting rejection.

Conclusion

4. No claim is allowed.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Frederiks (J of Histochemistry and Cytochemistry) teaches a procedure for Xanthine oxidase activity demonstration using a semipermeable membrane technique.

Certain papers related to this application may be submitted to Art Unit 1636 by facsimile transmission. The faxing of such papers must conform with the notices published in the Official Gazette, 1156 OG 61 (November 16, 1993) and 1157 OG 94 (December 28, 1993) (see 37 C.F.R. § 1.6(d)). The official fax telephone number for the Group is 571-273-8300. NOTE: If Applicant does submit a paper by fax, the original signed copy should be retained by applicant or applicant's representative. NO DUPLICATE COPIES SHOULD BE SUBMITTED so as to avoid the processing of duplicate papers in the Office.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance.

Art Unit: 1655

Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.


For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

Any inquiry concerning rejections or objections in this communication or earlier communications from the examiner should be directed to Bin Shen, Ph.D., whose telephone number is (571) 272-9040. The examiner can normally be reached on Monday through Friday, from about 9:00 AM to about 5:30 PM. A phone message left at this number will be responded to as soon as possible (i.e., shortly after the examiner returns to her office).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Terry McKelvey can be reached at (571) 272-0775.

B Shen

Art Unit 1655



MICHAEL MELLER
PRIMARY EXAMINER



BRUCE KISLIUK, DIRECTOR
TECHNOLOGY CENTER 1600